

Model Number

PFX5601-T

PARAFLEX
Fast Flexible Focused Lighting

PROJECT
NOTES

DATE

TYPE



REV: 04, 2023



The PFX-5601 is a linear vapor tight product designed to minimize cost while providing a fixture that is easy to install with high quality, performance, and is suitable where protection from dust and moisture are required.

FEATURES:

LISTING

UL and CUL listed for wet locations

CCT & WATTAGE selectable for 4-FT

CCT selectable for 2-FT

LENS

High impact polycarbonate frosted lens

120-277V STANDARD

OPTIONS

EM Emergency battery back up available

OC Occupancy sensor with dusk/down feature available

SP Surge Protector

C Conduit

PRODUCT APPLICATIONS

Building canopy Storage facility

Parking garages Supper market

Tunnels cold storage Entry way



ORDERING GUIDE

Sample part# PFX-23W- CCT-WH-EM

MODEL	POWER TUNABLE	COLOR TEMPERATURE	HOUSING COLOR	OPTIONS ACCESSORIES
PFX-5601-2FT	23W Fix Wattage	CCT 3K/4K/5K selectable	WH White	EM Emergency Battery Pack OS Occupancy Sensor SP Surge Protector C Conduit
PFX-5601-4FT	34W 34/26/17W Tunable 58W 58/45/30W Tunable			

PARAFLEX does not warrant or represent that the information is free from errors or omission. The information may change without notice and PARAFLEX is not in any way liable for the accuracy of any information printed and stored or in any way interpreted or used.

A3 Luger Rd. #1 - Denville, NJ 07834

E info@paraflex.com

W www.paraflex.com

P 973-340-6040


Fast Flexible Focused Lighting

PERFORMANCE SUMMARY


Model	Watts	Size (mm)	Efficacy	Volt	CCT	CRI
PFX-5601-2FT	23W	660.5*125.8*78	154 LM/W	120-277/120-347V	30/40/50K	>80
PFX-5601-4FT	58W/45W/30W	1206.7*125.8*78	158 LM/W	120-277/120-347V	30/40/50K	>80
	34W/26W/17W		153 LM/W			

DIMENSION

PFX- 5601-2FT




PFX- 5601-4FT




PARAFLEX does not warrant or represent that the information is free from errors or omission. The information may change without notice and PARAFLEX is not in any way liable for the accuracy of any information printed and stored or in any way interpreted or used.

PRODUCT DESCRIPTION

PFX-5601-2FT



PFX-5601-4FT



PARAFLEX does not warrant or represent that the information is free from errors or omission. The information may change without notice and PARAFLEX is not in any way liable for the accuracy of any information printed and stored or in any way interpreted or used.