

DCSHM-UD

ROUND UP/DOWN LED WALLPACK LUMINAIRE

PROJECT

DATE

TYPE

NOTES



REV: 18 1025



Lower Optics

Upper Optics



QUICK SHIP

When Specifying Options, Please Check with Factory for Availability and Lead-Time.

UPLIGHT/DOWNLIGHT, HEAVY-DUTY HOUSING

The DCSHM is an 18" Half-Moon Wallpack with a Die Cast Aluminum Body and Impact Resistant Glass Lens That Provides a Variety of Uplight and Downlight Options

WET LOCATION, IP-65 RATED

Engineered and Constructed for Exterior Environments

EASY TO INSTALL MOUNTING

4" x 4" Gasketed Wall Plate allows the Installer to Quickly Mount and Wire the Fixture without Opening the Housing

120-277V STANDARD

PRODUCT APPLICATIONS

- Building Entrances
- Walkways
- Tunnels
- Loading Docks
- Bridges
- Catwalks
- Stairwells

ORDERING GUIDE


Sample Part # DCSHM-UD - 12W - 24W - 30K - BZ - EM

MODEL	QUICK SHIP	WATTAGE UP	WATTAGE DOWN	COLOR TEMPERATURE (CCT)	HOUSING COLOR	OPTIONS & ACC.								
DCSHM-UD	QS	12W	12W 24W 36W 48W 60W	30K 3000K - WARM WHITE 40K 4000K - NEUTRAL WHITE 50K 5000K - COOL WHITE	BZ BZ BRONZE	EM EMERGENCY BATTERY PACK								
						<table border="1"> <thead> <tr> <th>QUANTITY</th> <th>SHIPS</th> </tr> </thead> <tbody> <tr> <td>1-5 Pieces (Before 11AM EST)</td> <td>Same Day</td> </tr> <tr> <td>5-25 Pieces</td> <td>3 Days</td> </tr> <tr> <td>25-100 Pieces</td> <td>1 Week</td> </tr> </tbody> </table>	QUANTITY	SHIPS	1-5 Pieces (Before 11AM EST)	Same Day	5-25 Pieces	3 Days	25-100 Pieces	1 Week
QUANTITY	SHIPS													
1-5 Pieces (Before 11AM EST)	Same Day													
5-25 Pieces	3 Days													
25-100 Pieces	1 Week													

PRODUCT SPECIFICATIONS

NOMINAL WATTAGE	TESTED WATTAGE	CCT	LUMENS	EFFICACY
12W	12.00	3000K	1,370	114.17
12W	12.00	4000K	1,439	119.92
12W	12.00	5000K	1,510	125.83
24W	23.68	3000K	2,740	115.71
24W	23.68	4000K	2,877	121.49
24W	23.68	5000K	3,021	127.58
36W	34.27	3000K	4,110	119.93
36W	34.27	4000K	4,315	125.91
36W	34.27	5000K	4,531	132.21
48W	46.70	3000K	5,480	117.34
48W	46.70	4000K	5,754	123.21
48W	46.70	5000K	6,042	129.38
60W	58.59	3000K	6,850	116.91
60W	58.59	4000K	7,193	122.77
60W	58.59	5000K	7,552	128.90

PRODUCT DIMENSIONS



POWER

POWER FACTOR >90 - THD <20

PARAFLEX does not warrant or represent that the information is free from errors or omission. The information may change without notice and PARAFLEX is not in any way liable for the accuracy of any information printed and stored or in any way interpreted or used.