

PFX-3104

LED Full Cutoff Wall Pack light



DESCRIPTION

The PFX-3104 Modern LED Full Cut-Off Wallpack is designed to deliver superior performance with a sleek, contemporary appearance. Featuring a durable die-cast aluminum housing, this wallpack is ideal for both indoor and outdoor applications, offering reliable lighting in wet locations. With selectable wattage and color temperature (CCT), the PFX-3104 allows for flexible installation to meet specific lighting needs. Its full cut-off design ensures reduced light pollution, making it a perfect choice for both commercial and residential environments.



FEATURES

- Lumileds LED, high luminous efficiency and long working life .
- High efficiency LED Driver, the wide range input voltage AC120-277V.
- Die Cast aluminium cooling design,high quality and better cooling for LED $T_j < 85^{\circ}\text{C}$.
- Excellent Optics design, greatly improve the light utilization and evenness.
- The 1-10V Dimming type is continuous.



PRODUCT APPLICATIONS

Building Entrances Walkways
Tunnels
Loading Docks

Bridges
Catwalks
Stairwells

SPECIFICATION

TYPE	PFX-3104-FWP2842567W27-345K			
	28W	42W	56W	70W
WATTAGE	28W	42W	56W	70W
LUMEN	4116 lm (28W&4000K)	6174 lm (42W&4000K)	7840 lm (56W&4000K)	9800 lm (70W&4000K)
EFFICACY	> 140 lm/W			
CCT	3000K,4000K,5000K			
CRI	> 70			
INPUT VOLTAGE	AC120-277V			
LIGHTING ANGLE	99.5X77.6°			
FACTORY SETTINGS	70W & 4000K			
LED TYPE	2835			
PF	> 0.95			
DRIVER EFFICIENCY	> 89%			
PROTECTION LEVEL	WET			
LIFE TIME	> 50000 hours			
WARRANTY	5 year limited			


Note: Includes a pre-installed dusk-to-dawn light photocell sensor

Disclaimer:
Due to the rapid pace of technology change in the Lighting industry, the Information and Data presented in this spec sheet is for reference purposes only, please confirm with PARAFLEX at the time of finalizing the order or design. PARAFLEX does not warrant or represent that the information is free from errors or omission. The information may change without notice and PARAFLEX is not in any way liable for the accuracy of any information printed and stored or in any way interpreted or used.

PFX-3104
LED Full Cutoff Wall Pack light



DIMENSION



Specifications:

Shell materials: Aluminum & PC.


Net weight : 6.26 lbs

Finish: Dark Bronze(Standard)

Product Size:347.8mmX126.4mmX207.7mm
13.97\"X4.98\"X8.18\"

Control Module

The LED Full Cutoff Wall Pack light can adjust the power and color temperature of the whole lamp, which is convenient and fast. The power and color temperature can be selected according to the actual needs of customers.



ORDERING GUIDE		PFX-3104-FWP2842567W27-345K-Z[D,W,B,S]-Y[Blank,P]				
Model Number	Product Code	Wattage Selectable	Voltage	CCT Selectable	Finish	Control
PFX-3104	FWP (Full Cut-Off Wall Pack)	70W (70W/56W/42W/28W)	27 (AC120-277V)	345K 3000K/4000K/5000K	D -(Dark Bronze) (standard Finish) Optional Finish W - (White) B - (Black) S - (Silver)	P - (Photocell)

Disclaimer:
Due to the rapid pace of technology change in the Lighting industry, the Information and Data presented in this spec sheet is for reference purposes only, please confirm with PARAFLEX at the time of finalizing the order or design. PARAFLEX does not warrant or represent that the information is free from errors or omission. The information may change without notice and PARAFLEX is not in any way liable for the accuracy of any information printed and stored or in any way interpreted or used.


PFX-3104

LED Full Cutoff Wall Pack light




PHOTOMETRICS


PFX-3104-FWP28425670W27-345K(28W&4000K)



PFX-3104-FWP28425670W27-345K(42W&4000K)



PFX-3104-FWP28425670W27-345K(56W&4000K)




Disclaimer:
Due to the rapid pace of technology change in the Lighting industry, the Information and Data presented in this spec sheet is for reference purposes only, please confirm with PARAFLEX at the time of finalizing the order or design. PARAFLEX does not warrant or represent that the information is free from errors or omission. The information may change without notice and PARAFLEX is not in any way liable for the accuracy of any information printed and stored or in any way interpreted or used.

PFX-3104
LED Full Cutoff Wall Pack light



PHOTOMETRICS

PFX-3104-FWP28425670W27-345K(70W&4000K)



PACKAGING INFORMATION

PFX-3104-FWP28425670W27-345K:

Carton Size:395MMX230MMX140MM

15.55" X9.06" X5.51"
(1Pcs/CTN)

Note: Includes a pre-installed dusk-to-dawn light photocell sensor

Disclaimer:
Due to the rapid pace of technology change in the Lighting industry, the Information and Data presented in this spec sheet is for reference purposes only, please confirm with PARAFLEX at the time of finalizing the order or design. PARAFLEX does not warrant or represent that the information is free from errors or omission. The information may change without notice and PARAFLEX is not in any way liable for the accuracy of any information printed and stored or in any way interpreted or used.